



SAFETY DATA SHEET

501675 MUSTARD OIL NATURAL

Revision Date: 06-06-2023

Page 1 of 11

Version # 10

Print Date: 06-06-2023

1. IDENTIFICATION

Product Description: MUSTARD OIL NATURAL
CAS # 57-06-7
FEMA Number 2034
Other means of identification
Vigon Item # 501675
Recommended use Concentrated flavor ingredient which may be used in flavor compounds according to legal and FEMA GRAS/FDA guidelines.
Recommended restrictions For Manufacturing Use Only

Company

Vigon International, LLC
127 Airport Road
E. Stroudsburg, PA 18301
For information call: 570-476-6300
Web Site: www.vigon.com

24 Hour Emergency Response Information

INFOTRAC (ACCT# 78928);
1-800-535-5053 WITHIN THE U.S.A.
1-352-323-3500 OUTSIDE THE U.S.A.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name	Vigon International, LLC	
Address	127 Airport Road E. Stroudsburg, PA 18301 United States	
Telephone	For information call:	570-476-6300
Website	www.vigon.com	
E-mail	regulatory@vigon.com	
Emergency phone number	INFOTRAC	(ACCT# 78928);
	1-800-535-5053	WITHIN THE U.S.A.
	1-352-323-3500	OUTSIDE THE U.S.A.

2. HAZARD(S) IDENTIFICATION

Physical hazards	Flammable liquids	Category 3
Health hazards	Acute toxicity, oral	Category 3
	Acute toxicity, dermal	Category 3
	Acute toxicity, inhalation	Category 3
	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Sensitization, respiratory	Category 1
	Sensitization, skin	Category 1
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1

SAFETY DATA SHEET

501675 MUSTARD OIL NATURAL

Revision Date: 06-06-2023

Page 2 of 11

Version # 10

Print Date: 06-06-2023

Hazardous to the aquatic environment,
long-term hazard

Category 1

Label elements



Signal word

Danger

Hazard statement

Flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Keep cool. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Do not breathe mist/vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. Wear respiratory protection.

Response

IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish. Collect spillage.

Storage

Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Chemical name	Common name and synonyms	CAS number	%
MUSTARD OIL	allyl thiocarbonimide propenyl isothiocyanate 3-isothiocyanatoprop-1-ene ALLYL ISOTHIOCYANATE	57-06-7	100



SAFETY DATA SHEET

501675 MUSTARD OIL NATURAL

Revision Date: 06-06-2023

Page 3 of 11

Version # 10

Print Date: 06-06-2023

4. FIRST-AID MEASURES

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.
Eye contact	Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.
Ingestion	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Difficulty in breathing.
Indication of immediate medical attention and special treatment needed	Not available.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Water spray, fog, CO ₂ , dry chemical, or alcohol resistant foam.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.
Specific methods	Use water spray to cool unopened containers.
General fire hazards	Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.
--	---



SAFETY DATA SHEET

501675 MUSTARD OIL NATURAL

Revision Date: 06-06-2023

Page 4 of 11

Version # 10

Print Date: 06-06-2023

Methods and materials for containment and cleaning up

Collect and dispose of spillage as indicated in section 13 of the SDS.

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area).

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.

7. HANDLING AND STORAGE

Precautions for safe handling

Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

US. Workplace Environmental Exposure Level (WEEL) Guides

Material	Type	Value
MUSTARD OIL (CAS 57-06-7)	STEL	4 mg/m ³
		1 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US - Minnesota Haz Subs: Skin designation applies

MUSTARD OIL (CAS 57-06-7)

Skin designation applies.

US WEEL Guides: Skin designation

MUSTARD OIL (CAS 57-06-7)

Can be absorbed through the skin.

Appropriate engineering controls

Use explosion-proof ventilation equipment to stay below exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes.

SAFETY DATA SHEET

501675 MUSTARD OIL NATURAL

Revision Date: 06-06-2023

Page 5 of 11

Version # 10

Print Date: 06-06-2023

Skin protection

Hand protection

Chemical resistant gloves.

Other

Use of an impervious apron is recommended. Chemical resistant gloves.

Respiratory protection

Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Refer to Spec Sheet

Physical state

Liquid.

Form

Liquid.

Color

Refer to Spec Sheet

Odor

Characteristic.

Odor threshold

Not available.

pH

Not available.

Melting point/freezing point

-112 °F (-80 °C)

Initial boiling point and boiling range

305.6 °F (152 °C)

Flash point

115.0 °F (46.1 °C) Closed Cup

Evaporation rate

Not available.

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

10 mm Hg at 38.3 °C

Vapor density

3.41

Relative density

Not available.

Solubility(ies)

Solubility (water)

Insoluble

Partition coefficient

2.15

(n-octanol/water)

Auto-ignition temperature

Not available.

Decomposition temperature

Not available.

Viscosity

Not available.

Other information

Density

1.01 g/cm³ estimated

Explosive properties

Not explosive.

SAFETY DATA SHEET

501675 MUSTARD OIL NATURAL

Revision Date: 06-06-2023

Page 6 of 11

Version # 10

Print Date: 06-06-2023

Flammability class	Combustible II estimated
Molecular formula	C4-H5-N-S
Molecular weight	99.15 g/mol
Oxidizing properties	Not oxidizing.
Specific gravity	1.01 at 25 °C

10. STABILITY AND REACTIVITY

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Alkaline metals. Alcohols. Phenols.
Hazardous decomposition products	No hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin contact	Toxic in contact with skin. Causes severe skin burns. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Ingestion	Toxic if swallowed. Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Difficulty in breathing.

Information on toxicological effects

Acute toxicity Toxic if inhaled. Toxic in contact with skin. Toxic if swallowed.

Product	Species	Test Results
MUSTARD OIL (CAS 57-06-7)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	88 mg/kg
<i>Inhalation</i>		
LC50	Rat	0.5 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitization	May cause an allergic skin reaction.

SAFETY DATA SHEET

501675 MUSTARD OIL NATURAL

Revision Date: 06-06-2023

Page 7 of 11

Version # 10

Print Date: 06-06-2023

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Carcinogenicity Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

MUSTARD OIL (CAS 57-06-7) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - single exposure May cause respiratory irritation.

Specific target organ toxicity - repeated exposure Knowledge about health hazard is incomplete.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

12. ECOLOGICAL INFORMATION

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Product	Species	Test Results
MUSTARD OIL (CAS 57-06-7)		
Aquatic		
<i>Acute</i>		
Fish	LC50	Fathead minnow (<i>Pimephales promelas</i>) 0.0856 mg/l, 96 hours
		Medaka, high-eyes (<i>Oryzias latipes</i>) ≥ 0.054 - ≤ 0.109 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this substance.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

2.15

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. DISPOSAL CONSIDERATIONS

Disposal instructions Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code Not established.

Waste from residues / unused products Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

SAFETY DATA SHEET

501675 MUSTARD OIL NATURAL

Revision Date: 06-06-2023

Page 8 of 11

Version # 10

Print Date: 06-06-2023

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

ADN

UN number	1545
UN proper shipping name	ALLYL ISOTHIOCYANATE, STABILIZED
Transport hazard class(es)	6.1
Subsidiary class(es)	3
Packing group	II
Environmental hazards	Yes
Labels required	6.1(PGI, II), 3

ADR

UN number	1545
UN proper shipping name	ALLYL ISOTHIOCYANATE, STABILIZED
Transport hazard class(es)	6.1
Subsidiary class(es)	3
Packing group	II
Environmental hazards	Yes
Labels required	6.1(PGI, II), 3

RID

UN number	1545
UN proper shipping name	ALLYL ISOTHIOCYANATE, STABILIZED
Transport hazard class(es)	6.1
Subsidiary class(es)	3
Packing Group	II
Environmental Hazards	Yes
Labels required	6.1(PGI, II), 3
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

DOT

BULK

UN number	1545
Proper shipping name	ALLYL ISOTHIOCYANATE, STABILIZED
Hazard class	6.1
Subsidiary hazard class	3
Packing group	II
Environmental hazards	
Marine pollutant	Yes
Labels required	6.1(PGI, II), 3

DOT

NON-BULK

UN number	1545
Proper shipping name	ALLYL ISOTHIOCYANATE, STABILIZED
Hazard class	6.1
Subsidiary hazard class	3

SAFETY DATA SHEET

501675 MUSTARD OIL NATURAL

Revision Date: 06-06-2023

Page 9 of 11

Version # 10

Print Date: 06-06-2023

Packing group II
Environmental hazards
Marine pollutant No
Labels required 6.1(PGI, II), 3


IATA

UN number 1545
UN proper shipping name ALLYL ISOTHIOCYANATE, STABILIZED
Transport hazard class(es) 6.1
Subsidiary class(es) 3
Packing group II
Environmental hazards No
Labels required 6.1(PGI, II), 3


IMDG

UN number 1545
UN proper shipping name ALLYL ISOTHIOCYANATE, STABILIZED
Transport hazard class(es) 6.1
Subsidiary class(es) 3
Packing group II
Environmental hazards
Marine pollutant Yes
Labels required 6.1(PGI, II), 3
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

ADN; ADR; IATA; IMDG; RID



DOT BULK; DOT NON-BULK



SAFETY DATA SHEET

501675 MUSTARD OIL NATURAL

Revision Date: 06-06-2023

Page 10 of 11

Version # 10

Print Date: 06-06-2023

Marine pollutant



15. REGULATORY INFORMATION

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical

Yes

Classified hazard categories

Flammable (gases, aerosols, liquids, or solids)
Acute toxicity (any route of exposure)
Skin corrosion or irritation
Serious eye damage or eye irritation
Respiratory or skin sensitization
Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.



SAFETY DATA SHEET

501675 MUSTARD OIL NATURAL

Revision Date: 06-06-2023

Page 11 of 11

Version # 10

Print Date: 06-06-2023

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Issue date 11-26-2015
Revision date 06-06-2023
Version # 10
HMIS® ratings Health: 3*
Flammability: 2
Physical hazard: 0

List of abbreviations ACGIH: American Conference of Governmental Industrial Hygienists.
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS: Chemical Abstract Service.
IARC: International Agency for Research on Cancer.
IATA: International Air Transport Association.
IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.
IMDG: International Maritime Dangerous Goods.
MARPOL: International Convention for the Prevention of Pollution from Ships.
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.
STEL: Short term exposure limit.
TWA: Time Weighted Average.

Disclaimer Vigon International, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

Revision information This document has undergone significant changes and should be reviewed in its entirety.