

SAFETY DATA SHEET

501743 BUTYL CATECHOL, PARA TERTIARY

Revision Date: 12-29-2015

Page 1 of 11

Version # 01

Print Date: 12-29-2015

1. IDENTIFICATION

Product Description:	BUTYL CATECHOL, PARA TERTIARY
CAS #	98-29-3
Other means of identification	
Vigon Item #	501743
Recommended use	Concentrated aromatic ingredient which may be used fragrance compounds according to legal and IFRA guidelines.
Recommended restrictions	For Manufacturing Use Only
<u>Company</u>	<u>24 Hour Emergency Response Information</u>
Vigon International, Inc.	INFOTRAC (ACCT# 78928);
127 Airport Road	1-800-535-5053 WITHIN THE U.S.A.
E. Stroudsburg, PA 18301	1-352-323-3500 OUTSIDE THE U.S.A.
For information call: 570-476-6300	
Web Site: www.vigon.com	

2. HAZARD(S) IDENTIFICATION

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Acute toxicity, dermal	Category 4
	Skin corrosion/irritation	Category 1B
	Serious eye damage/eye irritation	Category 1
	Sensitization, skin	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1

Label elements



Signal word Danger

Hazard statement

H302 + H312	Harmful if swallowed or in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention

SAFETY DATA SHEET

501743 BUTYL CATECHOL, PARA TERTIARY

Revision Date: 12-29-2015

Page 2 of 11

Version # 01

Print Date: 12-29-2015

P260	Do not breathe dust.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Response

P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.

Storage

P405	Store locked up.
------	------------------

Disposal

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
------	---

Hazard(s) not otherwise classified (HNOC) WARNING! May form combustible dust concentrations in air. Avoid breathing dust.

Supplemental information None.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Chemical name	Common name and synonyms	CAS number	%
4-TERT-BUTYL CATECHOL	4-tert-butylbenzene-1,2-diol 1,2- benzenediol, 4-(1,1-dimethylethyl)- p-tert- butyl catechol 4-(1,1- dimethylethyl)-1,2-benzenediol benzene-1,2-diol, 4-t-butyl-	98-29-3	100

4. FIRST-AID MEASURES

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.

Skin contact Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.



SAFETY DATA SHEET

501743 BUTYL CATECHOL, PARA TERTIARY

Revision Date: 12-29-2015

Page 3 of 11

Version # 01

Print Date: 12-29-2015

Eye contact	Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.
Ingestion	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of immediate medical attention and special treatment needed	Not available.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Water spray, fog, CO2, dry chemical, or alcohol resistant foam.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases. Explosion hazard: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.
Specific methods	Use water spray to cool unopened containers.
General fire hazards	Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Sweep up and place in a clearly labeled container for chemical waste. Wash contaminated area with water. Use only non-sparking tools. Avoid the generation of dusts during clean-up. Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Collect and dispose of spillage as indicated in section 13 of the SDS.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid release to the environment. Retain and dispose of contaminated wash water. Contact local authorities in case of spillage to drain/aquatic environment.



SAFETY DATA SHEET

501743 BUTYL CATECHOL, PARA TERTIARY

Revision Date: 12-29-2015

Page 4 of 11

Version # 01

Print Date: 12-29-2015

7. HANDLING AND STORAGE

Precautions for safe handling

Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges when there is a risk of dust explosion. Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.

Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Assume that this material is capable of producing a dust explosion if ignited as a dust cloud.

Conditions for safe storage, including any incompatibilities

Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

US. Workplace Environmental Exposure Level (WEEL) Guides

Material	Type	Value
4-TERT-BUTYL CATECHOL (CAS 98-29-3)	Ceiling	2 mg/m ³

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US. Workplace Environmental Exposure Level (WEEL) Guides

4-TERT-BUTYL CATECHOL (CAS 98-29-3) Can be absorbed through the skin.

Appropriate engineering controls

Use only appropriately classified electrical equipment and powered industrial trucks. Use explosion-proof ventilation equipment to stay below exposure limits. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical goggles are recommended.

Skin protection

Hand protection Chemical resistant gloves.

Other Use of an impervious apron is recommended.

Respiratory protection Dust mask.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

SAFETY DATA SHEET

501743 BUTYL CATECHOL, PARA TERTIARY

Revision Date: 12-29-2015

Page 5 of 11

Version # 01

Print Date: 12-29-2015

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Refer to Spec Sheet
Physical state	Powder\Crystal.
Form	Powder. Crystalline powder.
Color	Refer to Spec Sheet
Odor	Characteristic.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	131 °F (55 °C)
Initial boiling point and boiling range	545 °F (285 °C)
Flash point	> 200.0 °F (> 93.3 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0 kPa at 25 °C
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Molecular formula	C ₁₀ H ₁₄ O ₂
Molecular weight	166.22 g/mol

10. STABILITY AND REACTIVITY

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.



SAFETY DATA SHEET

501743 BUTYL CATECHOL, PARA TERTIARY

Revision Date: 12-29-2015

Page 6 of 11

Version # 01

Print Date: 12-29-2015

Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	Irritating to respiratory system.
Skin contact	Causes severe skin burns. Harmful in contact with skin. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns. Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Dusts may irritate the respiratory tract, skin and eyes. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity Harmful in contact with skin. Harmful if swallowed. May cause an allergic skin reaction.

Product	Species	Test Results
4-TERT-BUTYL CATECHOL (CAS 98-29-3)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	1331 mg/kg (OECD Test Guideline 402)
<i>Oral</i>		
LD50	Rat	815 mg/kg (OECD Test Guideline 401)

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation	Causes severe skin burns and eye damage.
Serious eye damage/eye irritation	Causes serious eye damage.
Respiratory or skin sensitization	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.



SAFETY DATA SHEET

501743 BUTYL CATECHOL, PARA TERTIARY

Revision Date: 12-29-2015

Page 7 of 11

Version # 01

Print Date: 12-29-2015

Aspiration hazard Not an aspiration hazard.

12. ECOLOGICAL INFORMATION

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Product		Species	Test Results
4-TERT-BUTYL CATECHOL (CAS 98-29-3)			
<i>Acute</i>			
Other	EC50	Pseudokirchnerella subcapitata	10.17 mg/l, 72 hours (OECD Test Guideline 201)
<i>Aquatic</i>			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	0.48 mg/l, 48 hours (OECD Test Guideline 202)
Fish	LC50	Danio rerio	0.12 mg/l, 96 hours (OECD Test Guideline 203)
Other	EC50	Activated Sludge	16 mg/l, 3 hours (OECD Test Guideline 209)

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. DISPOSAL CONSIDERATIONS

Disposal instructions Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code Not established.

Waste from residues / unused products Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. TRANSPORT INFORMATION

ADN

UN number 3261
UN proper shipping name CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (BUTYL CATECHOL, PARA TERTIARY)
Transport hazard class(es) 8

SAFETY DATA SHEET

501743 BUTYL CATECHOL, PARA TERTIARY

Revision Date: 12-29-2015

Page 8 of 11

Version # 01

Print Date: 12-29-2015

Subsidiary class(es) -
 Packing group II
 Environmental hazards Yes
 Labels required 8

ADR

UN number 3261
 UN proper shipping name CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (BUTYL CATECHOL, PARA TERTIARY)
 Transport hazard class(es) 8
 Subsidiary class(es) -
 Packing group II
 Environmental hazards Yes
 Labels required 8

RID

UN number 3261
 UN proper shipping name CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (BUTYL CATECHOL, PARA TERTIARY)
 Transport hazard class(es) 8
 Subsidiary class(es) -
 Packing group II
 Environmental hazards Yes
 Labels required 8

DOT

BULK

UN number 3261
 Proper shipping name CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (BUTYL CATECHOL, PARA TERTIARY)
 Hazard class 8
 Packing group II
 Environmental hazards
 Marine pollutant Yes
 Packaging exceptions 154
 Packaging bulk 240
 Labels required 8

DOT

NON-BULK

UN number 3261
 Proper shipping name CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (BUTYL CATECHOL, PARA TERTIARY)
 Hazard class 8
 Packing group II
 Environmental hazards
 Marine pollutant No
 Packaging exceptions 154
 Packaging non bulk 212
 Labels required 8

IATA

UN number 3261

SAFETY DATA SHEET

501743 BUTYL CATECHOL, PARA TERTIARY

Revision Date: 12-29-2015

Page 9 of 11

Version # 01

Print Date: 12-29-2015

UN proper shipping name	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (BUTYL CATECHOL, PARA TERTIARY)
Transport hazard class(es)	8
Subsidiary class(es)	-
Packing group	II
Environmental hazards	No
Labels required	8

IMDG

UN number	3261
UN proper shipping name	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (BUTYL CATECHOL, PARA TERTIARY)
Transport hazard class(es)	8
Subsidiary class(es)	-
Packing group	II
Environmental hazards	
Marine pollutant	Yes
Labels required	8
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

ADN; ADR; DOT BULK; DOT NON-BULK; IATA; IMDG; RID



Marine pollutant



15. REGULATORY INFORMATION

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.



SAFETY DATA SHEET

501743 BUTYL CATECHOL, PARA TERTIARY

Revision Date: 12-29-2015

Page 10 of 11

Version # 01

Print Date: 12-29-2015

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes

Delayed Hazard - No

Fire Hazard - No

Pressure Hazard - No

Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US - Minnesota Haz Subs: Hazardous substance

4-TERT-BUTYL CATECHOL (CAS 98-29-3) Hazardous substance.

US. Massachusetts RTK - Substance List

4-TERT-BUTYL CATECHOL (CAS 98-29-3)

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

4-TERT-BUTYL CATECHOL (CAS 98-29-3)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.



SAFETY DATA SHEET

501743 BUTYL CATECHOL, PARA TERTIARY

Revision Date: 12-29-2015

Page 11 of 11

Version # 01

Print Date: 12-29-2015

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Issue date 12-29-2015

Revision date 12-29-2015

Version # 01

Further information Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

HMIS® ratings Health: 3
Flammability: 1
Physical hazard: 0

Disclaimer Vigon cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.