

501426 HEXYL BUTYRATE NATURAL

Revision Date: 06-04-2020 Version # 03 Page 1 of 8 Print Date: 06-04-2020

1. IDENTIFICATION		
Product Description:	HEXYL BUTYRATE NATU	RAL
CAS #	2639-63-6	
FEMA Number	2568	
Other means of identification Vigon Item #	501426	
Recommended use		flavor ingredient which may be used in flavor and fragrance gal and IFRA or FEMA GRAS/FDA guidelines.
Recommended restrictions	For Manufacturing Use Onl	у
<u>Company</u>		24 Hour Emergency Response Information
Vigon International, Inc.		INFOTRAC (ACCT# 78928);
127 Airport Road		1-800-535-5053 WITHIN THE U.S.A.
E. Stroudsburg, PA 18301		1-352-323-3500 OUTSIDE THE U.S.A.
For information call: 570-476-6300		
Web Site: www.vigon.com		
Manufacturer/Importer/Supplier/Dis	tributor information	
Manufacturer		
Company name Address	Vigon International, Inc. 127 Airport Road E. Stroudsburg, PA 18301 United States	
Telephone	For information call:	570-476-6300
Website	www.vigon.com	
E-mail	regulatory@vigon.com	
Emergency phone number	INFOTRAC 1-800-535-5053 1-352-323-3500	(ACCT# 78928); WITHIN THE U.S.A. OUTSIDE THE U.S.A.
2. HAZARD(S) IDENTIFICAT	ΓΙΟΝ	
Physical hazards	Flammable liquids	Category 4
Health hazards	Not classified.	
Environmental hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	Warning	
Hazard statement	Combustible liquid.	
Precautionary statement		
Prevention		surfaces, sparks, open flames and other ignition sources. No smoking. ective clothing/eye protection/face protection.
Response	In case of fire: Use appropr	iate media to extinguish.
Storage	Store in a well-ventilated pla	ace.



501426 HEXYL BUTYRATE NATURAL

Version # 03 Print Date: 06-04-2020	Revision Date: 06-04-2020	Page 2 of 8
	Version # 03	Print Date: 06-04-2020

Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	100% of the substance consists of component(s) of unknown acute inhalation toxicity. 100% of the substance consists of component(s) of unknown acute hazards to the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Chemical name	Common name and synonyms	CAS number	%
HEXYL BUTYRATE	hexyl butanoate N-hexyl butanoate 1-hexyl butyrate N- hexyl N-butanoate	2639-63-6	100

4. FIRST-AID MEASURES

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.
Eye contact	Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.
Ingestion	Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Not available.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Water spray, fog, CO2, dry chemical, or alcohol resistant foam.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full

ciotning will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.



501426 HEXYL BUTYRATE NATURAL

Revision Date: 06-04-2020	Page 3 of 8	
Version # 03	Print Date: 06-04-2020	
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.	
Specific methods	Use water spray to cool unopened containers.	

General fire hazards Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.	
Methods and materials for containment and cleaning up	Collect and dispose of spillage as indicated in section 13 of the SDS.	
	Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible.	
	Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Prevent product from entering drains.	
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
Environmental precautions	Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.	
7. HANDLING AND STORAGE		
Precautions for safe handling	Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.	
Conditions for safe storage, including any incompatibilities	Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.	
8. EXPOSURE CONTROLS/PERSONAL PROTECTION		
Occupational exposure limits	This substance has no PEL, TLV, or other recommended exposure limit.	
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Appropriate engineering controls	Use explosion-proof ventilation equipment to stay below exposure limits.	

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection Hand protection Chemical re

Chemical resistant gloves.



501426 HEXYL BUTYRATE NATURAL

Revision Date: 06-04-2020 Version # 03 Page 4 of 8 Print Date: 06-04-2020

Other	Not available.
Respiratory protection	Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Refer to Spec Sheet
Physical state	Liquid.
Form	Liquid.
Color	Refer to Spec Sheet
Odor	Characteristic.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-108.4 °F (-78 °C)
Initial boiling point and boiling range	399.2 - 402.8 °F (204 - 206 °C)
Flash point	150.0 °F (65.6 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explos	ive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.23 mm Hg at 25 °C
Vapor density	6
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	



501426 HEXYL BUTYRATE NATURAL

 Revision Date: 06-04-2020
 Page 5 of 8

 Version # 03
 Print Date: 06-04-2020

Other information Explosive properties	Not explosive.
Flammability class	Combustible IIIA estimated
Molecular formula	C10H20O2
Molecular weight	172.27 g/mol 172.27 g/mol
Oxidizing properties	Not oxidizing.
Specific gravity	0.86 at 25 °C

10. STABILITY AND REACTIVITY

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of e	exposure		
Inhalation	Knowledge about health hazar	d is incomplete.	
Skin contact	Causes mild skin irritation.		
Eye contact	Knowledge about health hazar	d is incomplete. Causes mild eye irritation.	
Ingestion	Expected to be a low ingestior	hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.		
Information on toxicological effe	ects		
Acute toxicity	Not known.		
Product	Species	Test Results	
FIUUUUL	opecies	i est results	
HEXYL BUTYRATE NATURAL	•		
	•		
HEXYL BUTYRATE NATURAL	•		
HEXYL BUTYRATE NATURAL	•	> 5000 mg/kg	
HEXYL BUTYRATE NATURAL Acute Dermal	(CAS 2639-63-6)		
HEXYL BUTYRATE NATURAL Acute Dermal LD50	(CAS 2639-63-6)		
HEXYL BUTYRATE NATURAL Acute Dermal LD50 Oral	Rabbit	> 5000 mg/kg	



501426 HEXYL BUTYRATE NATURAL

Revision Date: 06-04-2020	Page 6 of 8
Version # 03	Print Date: 06-04-2020

Respiratory or skin sensitization				
Respiratory sensitization	Due to partial or complete lack of data the classification is not possible.			
Skin sensitization	Due to partial or complete lack of data the classification is not possible.			
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.			
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.			
IARC Monographs. Overall E	Evaluation of Carcinogenicity			
Not listed. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)				
•••	gram (NTP) Report on Carcinogens			
Not listed.				
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.			
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.			
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.			
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.			
12. ECOLOGICAL INFORM	MATION			
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.			
Persistence and degradability	No data is available on the degradability of this substance.			
Bioaccumulative potential	No data available.			
Mobility in soil	No data available.			
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			
13. DISPOSAL CONSIDER	RATIONS			
Disposal instructions	Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.			
Local disposal regulations	Dispose in accordance with all applicable regulations.			
Hazardous waste code	Not established.			
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is			

emptied. Empty containers should be taken to an approved waste handling site for recycling or

14. TRANSPORT INFORMATION

disposal.

Not regulated as dangerous goods.



501426 HEXYL BUTYRATE NATURAL

Revision Date: 06-04-2020 Version # 03 Page 7 of 8 Print Date: 06-04-2020

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

DOT

BULK

UN number	NA1993
Proper shipping name	COMBUSTIBLE LIQUID, N.O.S. (HEXYL BUTYRATE)
Hazard class	Combustible liq
Packing group	III
Environmental hazards	
Marine pollutant	No
Packaging exceptions	150
Packaging bulk	241
Labels required	3
DOT	

NON-BULK

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. REGULATORY INFORMATION

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes chemical



501426 HEXYL BUTYRATE NATURAL

Revision Date: 06-04-2020 Version # 03

Page 8 of 8 Print Date: 06-04-2020

Classified hazard categories	Flammable (gases, aerosols, liquids, or solids)
SARA 313 (TRI reporting) Not regulated.	
Other federal regulations	
Clean Air Act (CAA) Section 1	12 Hazardous Air Pollutants (HAPs) List
Not regulated.	
Clean Air Act (CAA) Section 1	12(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.	
Safe Drinking Water Act	Not regulated.

Safe Drinking Water Act (SDWA)

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Issue date	11-25-2015
Revision date	06-04-2020
Version #	03
HMIS® ratings	Health: 1 Flammability: 2 Physical hazard: 0
Disclaimer	Vigon International, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information relates only to this product the assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this docu
Revision information	This document has undergone significant changes and should be reviewed in its entirety.